

Manual

DIAZ | SUNPROTECTION


Diaz B.I. Adagio for domotica


Introduction





If your motor does not respond as described in this manual, please proceed to troubleshooting. (pg 5).






TOUCH&GO:
Automatic operation is also possible by briefly pulling the curtain.

Quick start guide

1 Connecting the power


1.1 230V motor with remote control

Attention! Do not connect multiple motors simultaneously, but one by one.



To change the switch mode of the motor you need a Diaz B.I. remote control.

2 Pair a first remote



3 Setting the 230V switch mode

When setting a 230V switch, follow the steps below.

3.1 Double button interlock switch (standard mode 230V switch)



This mode is for a switch with two up/down buttons that remain pushed in after pressing (no pulse). The motor will run as long as the button is pushed in and no end point is reached.

3.2 Double button pulse switch



This mode is for a pulse switch with separate up/down buttons.
With a pulse, the motor runs until the end point is reached.

3.3 Single button cyclic switch




This mode is for a single button pulse switch. With a pulse the motor runs to its end point, stops, runs to the other end point, stops.... in a cyclic program.

With this circuit, it is sufficient to connect only the black or grey cable to the switch. A single 230V pulse signal is sufficient to execute all commands.

Troubleshooting

1 Reset motor



After the reset of the motor you need to go through the quick start guide again.